

## Author Index

- Antti, H., see Beckonert, O. 3  
 Antti, H., see Ebbels, T. 109  
 Antti, H., see Keun, H.C. 265  
 Armitage, J.R., see Wu, W. 365  
 Arnold, M.A., see Wabomba, M.J. 325
- Beckonert, O.  
 — Bollard, M.E., Ebbels, T.M.D., Keun, H.C., Antti, H., Holmes, E., Lindon, J.C. and Nicholson, J.K.  
 NMR-based metabonomic toxicity classification: hierarchical cluster analysis and k-nearest-neighbour approaches 3  
 Beckonert, O., see Ebbels, T. 109  
 Beckonert, O., see Keun, H.C. 265
- Bezemer, E.  
 — and Rutan, S.  
 Evaluation of synthetic liquid chromatography—diode array detection—mass spectrometry data for the determination of enzyme kinetics 17
- Boger, Z.  
 Selection of quasi-optimal inputs in chemometrics modeling by artificial neural network analysis 31
- Bogomolov, A.  
 — and McBrien, M.  
 Mutual peak matching in a series of HPLC–DAD mixture analyses 41
- Bollard, M.E., see Beckonert, O. 3  
 Bollard, M., see Ebbels, T. 109  
 Bollard, M.E., see Keun, H.C. 265  
 Brown, S.D., see Tan, H. 291  
 Brown, S.D., see Woody, N.A. 355  
 Burns, D.H., see Gributs, C.E.W. 185  
 Busche, S., see Dieterle, F. 71  
 Buydens, L.M.C., see Hageman, J.A. 211  
 Buydens, L.M.C., see Huo, R. 231  
 Buydens, L.M.C., see Tran, T.N. 303
- Cavelti, M.A., see Hope, J.L. 223
- Chen, G.  
 — and Harrington, P.B.  
 Real-time two-dimensional wavelet compression and its application to real-time modeling of ion mobility data 59
- Choquette, S.J., see Duewer, D.L. 85
- Cordingley, H.C., see Wu, W. 365
- Demuth, W., see Varma, K. 313
- Dieterle, F.  
 —, Busche, S. and Gauglitz, G.  
 Growing neural networks for a multivariate calibration and variable selection of time-resolved measurements 71
- Duewer, D.L.  
 —, Choquette, S.J., O'Neal, L. and Filliben, J.J.  
 Rare-earth glass reference materials for near-infrared spectrometry: sources of x-axis location variability 85
- Dyson, R.  
 —, Maeder, M., Neuhold, Y.-M. and Puxty, G.  
 Analyses of three-way data from equilibrium and kinetic investigations 99
- E. Bollard, M., see Beckonert, O. 3
- Ebbels, T.  
 —, Keun, H., Beckonert, O., Antti, H., Bollard, M., Holmes, E., Lindon, J. and Nicholson, J.  
 Toxicity classification from metabonomic data using a density superposition approach: 'CLOUDS' 109
- Ebbels, T.M.D., see Beckonert, O. 3
- Ebbels, T.M.D., see Keun, H.C. 265
- Farnham, I.M.  
 —, Johannesson, K.H., Singh, A.K., Hodge, V.F. and Stetzenbach, K.J.  
 Factor analytical approaches for evaluating groundwater trace element chemistry data 123
- Filliben, J.J., see Duewer, D.L. 85
- Gallagher, N.B., see Grate, J.W. 169
- Gallagher, N.B.  
 —, Wise, B.M. and Sheen, D.M.  
 Estimation of trace vapor concentration-pathlength in plumes for remote sensing applications from hyperspectral images 139
- Gan, F.  
 — and Hopke, P.K.  
 Data mining of the relationship between volatile organic components and transient high ozone formation 153
- Gargallo, R., see Jaumot, J. 253
- Gauglitz, G., see Dieterle, F. 71
- Gerlach, R.W.  
 —, Nocerino, J.M., Ramsey, C.A. and Venner, B.C.  
 Gy sampling theory in environmental studies. 2. Subsampling error estimates 159
- Grate, J.W., see Hope, J.L. 223

- Grate, J.W.  
—, Wise, B.M. and Gallagher, N.B.  
Classical least squares transformations of sensor array pattern vectors into vapor descriptors. Simulation of arrays of polymer-coated surface acoustic wave sensors with mass-plus-volume transduction mechanisms 169
- Gributs, C.E.W.  
— and Burns, D.H.  
Multiresolution analysis for quantification of optical properties in scattering media using pulsed photon time-of-flight measurements 185
- Gross, G.M.  
—, Prazen, B.J. and Synovec, R.E.  
Parallel column liquid chromatography with a single multi-wavelength absorbance detector for enhanced selectivity using chemometric analysis 197
- Hageman, J.A.  
—, Wehrens, R., van Sprang, H.A. and Buydens, L.M.C.  
Hybrid genetic algorithm-tabu search approach for optimising multilayer optical coatings 211
- Harrington, P.B., see Chen, G. 59
- Hodge, V.F., see Farnham, I.M. 123
- Holmes, E., see Beckonert, O. 3
- Holmes, E., see Ebbels, T. 109
- Holmes, E., see Keun, H.C. 265
- Hope, J.L.  
—, Johnson, K.J., Cavelti, M.A., Prazen, B.J., Grate, J.W. and Synovec, R.E.  
High-speed gas chromatographic separations with diaphragm valve-based injection and chemometric analysis as a gas chromatographic "sensor" 223
- Hopke, P.K., see Gan, F. 153
- Hopke, P.K., see Paatero, P. 277
- Huo, R.  
—, Wehrens, R., van Duynhoven, J. and Buydens, L.M.C.  
Assessment of techniques for DOSY NMR data processing 231
- Jaumot, J.  
—, Vives, M., Gargallo, R. and Tauler, R.  
Multivariate resolution of NMR labile signals by means of hard- and soft-modelling methods 253
- Johannesson, K.H., see Farnham, I.M. 123
- Johnson, K.J., see Hope, J.L. 223
- Karlovits, M., see Varmuza, K. 313
- Kermit, M., see Westad, F. 341
- Keun, H., see Ebbels, T. 109
- Keun, H.C.  
—, Ebbels, T.M.D., Antti, H., Bollard, M.E., Beckonert, O., Holmes, E., Lindon, J.C. and Nicholson, J.K.  
Improved analysis of multivariate data by variable stability scaling: application to NMR-based metabolic profiling 265
- Keun, H.C., see Beckonert, O. 3
- Lindon, J., see Ebbels, T. 109
- Lindon, J.C., see Beckonert, O. 3
- Lindon, J.C., see Keun, H.C. 265
- Maeder, M., see Dyson, R. 99
- McBrien, M., see Bogomolov, A. 41
- Neuhold, Y.-M., see Dyson, R. 99
- Nicholson, J., see Ebbels, T. 109
- Nicholson, J.K., see Beckonert, O. 3
- Nicholson, J.K., see Keun, H.C. 265
- Nocerino, J.M., see Gerlach, R.W. 159
- O'Neal, L., see Duewer, D.L. 85
- Paatero, P.  
— and Hopke, P.K.  
Discarding or downweighting high-noise variables in factor analytic models 277
- Prazen, B.J., see Gross, G.M. 197
- Prazen, B.J., see Hope, J.L. 223
- Puxty, G., see Dyson, R. 99
- Ramsey, C.A., see Gerlach, R.W. 159
- Roberts, S.L.L., see Wu, W. 365
- Rutan, S., see Bezemer, E. 17
- Sheen, D.M., see Gallagher, N.B. 139
- Singh, A.K., see Farnham, I.M. 123
- Small, G.W., see Wabomba, M.J. 325
- Stetzenbach, K.J., see Farnham, I.M. 123
- Synovec, R.E., see Gross, G.M. 197
- Synovec, R.E., see Hope, J.L. 223
- Tan, H.  
— and Brown, S.D.  
Multivariate calibration of spectral data using dual-domain regression analysis 291
- Tauler, R., see Jaumot, J. 253
- Tooke, P., see Wu, W. 365
- Tran, T.N.  
—, Wehrens, R. and Buydens, L.M.C.  
SpaRef: a clustering algorithm for multispectral images 303
- van Sprang, H.A., see Hageman, J.A. 211
- van Duynhoven, J., see Huo, R. 231
- Varmuza, K.  
—, Karlovits, M. and Demuth, W.  
Spectral similarity versus structural similarity: infrared spectroscopy 313
- Venner, B.C., see Gerlach, R.W. 159
- Vives, M., see Jaumot, J. 253
- Wabomba, M.J.  
—, Small, G.W. and Arnold, M.A.  
Evaluation of selectivity and robustness of near-infrared glucose measurements based on short-scan Fourier transform infrared interferograms 325

- Wehrens, R., see Hageman, J.A. 211  
 Wehrens, R., see Huo, R. 231  
 Wehrens, R., see Tran, T.N. 303  
 Westad, F.  
     — and Kermit, M.  
         Cross validation and uncertainty estimates in independent component analysis 341  
 Wildsmith, S.E., see Wu, W. 365  
 Wise, B.M., see Gallagher, N.B. 139  
 Wise, B.M., see Grate, J.W. 169  
 Woody, N.A.  
     — and Brown, S.D.  
         Partial least-squares modeling of continuous nodes in Bayesian networks 355  
 Wu, W.  
     —, Roberts, S.L.L., Armitage, J.R., Tooke, P., Cordingley, H.C. and Wildsmith, S.E.  
         Validation of consensus between proteomic and clinical chemistry datasets by applying a new randomisation *F*-test for generalised procrustes analysis 365